NAJIB et al U.S. National Phase of PCT/FR2003/002127

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (original) Substituted 1,3-diphenylprop-2-en-1-one derivative, characterized in that it is represented by formula (I) below:

$$X_1$$
 X_2
 X_3
 X_4
 X_5
 X_6
(I)

in which:

X1 represents a halogen or a -R1 group or a group corresponding to the following formula: -G1-R1,

X2 represents a hydrogen atom or a thionitroso group or a hydroxy group or an alkylcarbonyloxy or an unsubstituted alkyloxy group or a thiol group or an alkylthio group or an alkylcarbonylthio group, X2 can also represent an oxygen or sulfur atom bound to carbon 3 of the propene chain, so as to form a derivative of the type 2-phenyl-4H-1-benzopyran-4-one,

X3 represents a -R3 group or a group corresponding to the following formula : -G3-R3,

X4 represents a halogen or a thionitroso group or a -R4 group or a group corresponding to the following formula: -G4-R4,

X5 represents a -R5 group or a group corresponding to the following formula: -G5-R5,

NAJIB et al U.S. National Phase of PCT/FR2003/002127

X6 is an oxygen atom or a nitrogen atom, in the case where X6 is a nitrogen atom, it carries a hydrogen atom or a hydroxy group or an alkyloxy group.

R1, R3, R4, R5, which are the same or different, represent a hydrogen atom or an alkyl group substituted or not by a substituent which is part of group 1 or group 2 defined hereinbelow,

G1, G3, G4, G5, which are the same or different, represent an oxygen or sulfur atom,

with at least one of the groups X1, X3, X4 or X5 corresponding to the formula -G-R, and

with at least one of the groups R1, R3, R4 or R5 present in the form of an alkyl group containing at least one substituent from group 1 or 2, said alkyl group being bound directly to the ring or being associated with a group G according to the formula –GR,

substituents from group 1 are selected in the group consisting of carboxy groups corresponding to the formula: $-COOR_6$ and carbamoyl groups corresponding to the formula: $-CONR_6R_7$,

substituents from group 2 are selected in the group consisting of sulfonic acid (-SO₃H) and sulfonamide groups corresponding to the formula : -SO₂NR₆R₇,

with R₆ and R₇, which are the same or different, representing a hydrogen atom or an alkyl group possibly substituted by at least one group of the type 1 or 2,

the optical and geometric isomers, racemates, tautomers, salts, hydrates and mixtures thereof.

NAJIB et al
U.S. National Phase of PCT/FR2003/002127

with the exception of compounds represented by formula (I) in which:

- X_1 , X_2 , X_3 and X_5 each represent a hydrogen atom, X_6 represents an oxygen atom and

X₄ represents a group corresponding to the formula -O-CR₈R₉-COOR₁₀, where R₈ and

 R_9 , which are the same or different, represent a C1 to C2 alkyl group, and R_{10}

represents a hydrogen atom or a C1 to C7 alkyl group, and

- X₂, X₃ and X₅ each represent a hydrogen atom, X₁ represents a halogen atom or a R1

or -G1R1 group, where R1 represents an unsubstituted C1-C2 alkyl group and G1

represents an oxygen atom, X₆ represents an oxygen atom and X₄ represents a group

corresponding to the formula -O-CR₁₁R₁₂-COOR₁₀, where R₁₁ and R₁₂, which are the

same or different, represent a hydrogen atom or a C1 to C2 alkyl group, and R₁₀

represents a hydrogen atom or a C1 to C7 alkyl group, and

- X₂ represents a hydrogen atom and X₁ represents -G1R1 where G1 represents

an oxygen atom and R1 represents CH2COOH.

Claims 2-37. (canceled)